


MARINE & OFFSHORE



escowa



GO WITH THE CURRENT

Today, 60 Hz is the standard in most offshore and marine environments. Certain sensitive electrical products need to be specially adapted for this type of power supply, which is why we have developed dedicated versions of some of our most popular dispensers, available both as undercounter and freestanding models. These machines combine robust construction with reliable performance, ensuring a consistent supply of fresh water even in demanding conditions.

Our marine-adapted dispensers are designed to handle the challenges of offshore environments, where vibrations, limited space and strict safety requirements place high demands on equipment. Depending on the model, finishes include black, white, or stainless steel, allowing you to choose the look that best suits your space – while maintaining the same high quality and functionality as our standard range.

Because, wouldn't it be strange not to be able to enjoy great water when you are out at sea?

Blusoda

Blusoda stands out for its compact design, made entirely of stainless steel, making it perfect for any environment. Its professional design with a focus on detail offers high performance while requiring minimal space, either on our laminate cabinet or seamlessly integrated with existing furniture.

The dispenser provides excellent hydration with either ambient, ice-cold still or sparkling water. Naturally, it is environmentally friendly in accordance with current regulations.

Blusoda is available with a UV-C lamp that sterilises the water, preventing the spread of bacteria, viruses and microorganisms, and with our Blutron Ultra filter, which captures particles as small as 0.1 micron. This combination makes Blusoda the perfect choice for critical water installations, such as in hospitals.

Water selection	Ambient, cold still, cold sparkling
Cooling capacity ($\Delta t-10^{\circ}$)	30 litres/hour
WxDxH countertop/freestanding	261 x 499 x 418/1318 mm
Dispensing height	276 mm
Refrigerant gas	R290
Power supply	230V/10A
Weight	25 kg



Stainless steel/black



Piccola

Piccola is a water cooler that's ideal for smaller workplaces where people simply want a fresh glass of water – or hot water up to 85 °C, perfect for tea and similar uses. The machine is available as a countertop model or with a base cabinet in black laminate or sheet metal as an option.

Piccola provides great filtered water through the included filter. The models offer 3–4 types of water – all in a compact and elegantly designed unit.

Easy to install and requiring minimal maintenance. A perfect solution for marine and offshore use.

Water selection Cold/Hot	Ambient, cold still, hot
Water selection Fizz/Hot	Ambient, cold still, cold sparkl., hot
Cooling capacity ($\Delta t-10^{\circ}$)	15 litres/hour
WxDxH countertop/freestanding	240 x 451 x 425/1325 mm
Dispensing height	281 mm
Refrigerant gas	R600a
Power supply	230V/10A
Weight Cold/Hot Fizz/Hot	14.2 18.4 kg



Black

*Fizz-model





Pollux

Our Pollux water dispenser is one of our long-standing favourites, here delivered with a Pro2 cooler adapted for 60 Hz. While Pollux is normally a perfect fit for offices and conference spaces, this version becomes a reliable and visually appealing powerhouse for marine and offshore environments.

With its convenient size, Pollux can be placed wherever it suits best. The neutral design in white and stainless steel blends easily with your countertop and other interior. Need a freestanding solution? We can tailor a separate base cabinet in laminate.

Water selection	Ambient, cold still, cold sparkling
Cooler type	Pro2 Eco 60 Hz
Cooling capacity ($\Delta t-10^{\circ}$)	20 litres/hour
Dimensions (WxDxH)	250 x 520 x 476 mm
Dispensing height	245 mm
Refrigerant gas	R600a
Power supply	230V/10A
Weight	36 kg



Stainless steel/white



UNDERCOUNTER COOLERS



BluNordic 2

BluNordic 2 is developed specifically for our Nordic climate but works just as well in other countries. What often makes the Nordic market unique is the demand for highly carbonated water combined with optimised cooling.

We've optimised BluNordic 2's performance to deliver top results while operating as efficiently as possible when it comes to water pressure, flow capacity, carbonation and cooling. It can dispense a larger volume of water while maintaining the same low temperature and high flow rate – something not many comparable models manage to do.

Water selection	Cold still, cold sparkling
Dimensions (WxDxH)	262 x 344 x 389 mm
Cooling capacity ($\Delta t-10^{\circ}$)	30 litres/hour
Refrigerant gas	R290
Water connection	Cold water, 1/2" external thread
Power consumption	230V/10A, 230W
Weight	25 kg



Black

Pro2 Eco

Pro2 is our bestseller and delivers chilled still and chilled sparkling water. It is compatible with most of our products and meets the needs of around 70% of our customers.

Water selection	Cold still, cold sparkling
Cooling capacity ($\Delta t-10^{\circ}$)	20 litres/hour
Dimensions (WxDxH)	250 x 308 x 407 mm
Refrigerant gas	R600a
Water connection	Cold water, 1/2" external thread
Power consumption	230V/10A, 230W
Weight	26 kg



White



escowa

Escowa AB
Moränvägen 9
186 40 Vallentuna
Sweden
www.escowa.se